



TERMA

SINCE 1990

Bone

NOBLE BROWN // 1500 — 390 // REG 3 // 50 mm connection valve + "Slim" thermostatic head

MODERN







Wall-mount radiator




Standard connections:



Available on demand:



Sizes available:



Division wall:




Standard connections:



Available on demand:




Sizes available:




A [mm]	B [mm]	C [mm]	C' [mm]	Cr	75/65/20 [W]	55/45/20 [W]	Thermostat [W]	D [mm]	E [mm]	F [mm]	Volume [dm³]	Weight [Kg]
Wall-mount radiator												
760	500	460	50	RAL+TT	320	163	300	460	580	90	3,09	7,09
760	500	460	50	Chrom	246	126	300	460	580	90	3,09	7,09
760	600	560	50	RAL+TT	384	196	400	560	580	90	3,46	8,19
760	600	560	50	Chrom	295	151	400	560	580	90	3,46	8,19
1260	500	460	50	RAL+TT	503	257	600	460	1080	90	4,93	11,06
1260	500	460	50	Chrom	387	197	600	460	1080	90	4,93	11,06
1260	600	560	50	RAL+TT	603	308	600	560	1080	90	5,51	12,75
1260	600	560	50	Chrom	464	237	600	560	1080	90	5,51	12,75
1510	500	460	50	RAL+TT	607	310	600	460	1330	90	5,92	13,22
1510	500	460	50	Chrom	467	238	600	460	1330	90	5,92	13,22
1510	600	560	50	RAL+TT	728	371	800	560	1330	90	6,61	15,24
1510	600	560	50	Chrom	560	286	800	560	1330	90	6,61	15,24
Division wall:												
1610	500	50	—	RAL+TT	607	310	600	460	1350	80	5,92	13,22
1910	500	50	—	RAL+TT	702	358	600	460	1650	80	7,20	16,20

Wall-mount radiator


SX




ZX



Z1




Z8




Division wall

O1



ZX



Z1

